

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

12

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER Technical Report A	2. GOVT ACCESSION NO. AD-A243697	3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) Some Interesting Observations in Chlorine Oxyfluoride Chemistry		5. TYPE OF REPORT & PERIOD COVERED Technical Report	
		6. PERFORMING ORG. REPORT NUMBER RI/RD84-186	
7. AUTHOR(s) Karl O. Christe and William W. Wilson		8. CONTRACT OR GRANT NUMBER(s) N00014-83-C-0531	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Rocketdyne 6633 Canoga Avenue Canoga Park, CA 91306		10. PROGRAM ELEMENT PROJECT, TASK AREA & WORK UNIT NUMBERS NR 053-840	
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Department of the Navy Arlington, Virginia 22217		12. REPORT DATE July 23, 1984	
		13. NUMBER OF PAGES 6	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified	
		15a. DECLASSIFICATION DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)  DTIC ELECTED JUL 26 1984			
18. SUPPLEMENTARY NOTES To be published in <u>Journal of Fluorine Chemistry</u>			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Fluorine perchlorate                      Cesium tetrafluoroxychlorate (V) Hexafluorochlorine (VII) perchlorate      Synthesis fluorine fluorosulfate                      Reactions			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  A new synthesis of $\text{FOClO}_3$ was discovered involving the fluorination of $\text{ClO}_4^-$ with $\text{ClF}_6^+$ . An unexpected oxygen abstraction from $\text{ClF}_4\text{O}^-$ was observed when $\text{CsClF}_4\text{O}$ was reacted with $\text{FOSO}_2\text{F}$ .			

84 07 26 015

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 68 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

AD-A143 697

DTIC FILE COPY

OFFICE OF NAVAL RESEARCH

Contract N00014-83-C-0531

Task No. NR 053-840

TECHNICAL REPORT NO. 4

Some Interesting Observations in Chlorine  
Oxyfluoride Chemistry

by

Karl O. Christe and William W. Wilson

Rocketdyne  
A Division of Rockwell International  
Canoga Park, CA 91304

July 23, 1984

Prepared for publication in Journal of Fluorine Chemistry

Reproduction in whole or in part is permitted for any purpose  
of the United States Government

\*This document has been approved for public release  
and sale; its distribution is unlimited.

84 07 26 015

## SOME INTERESTING OBSERVATIONS IN CHLORINE OXYFLUORIDE CHEMISTRY

KARL O. CHRISTE AND WILLIAM W. WILSON

Rocketdyne, A Division of Rockwell International Corporation,  
Canoga Park, California 91304 (U.S.A.)

### SUMMARY

A new synthesis of  $\text{FOClO}_3$  was discovered involving the fluorination of  $\text{ClO}_4^-$  with  $\text{ClF}_6^+$ . An unexpected oxygen abstraction from  $\text{ClF}_4\text{O}$  was observed when  $\text{CsClF}_4\text{O}$  was reacted with  $\text{FOSO}_2\text{F}$ .

$\text{ClO}_4(-)$  with  $\text{ClF}_6(+)$ .

$\text{ClF}_4\text{O}(-)$


### INTRODUCTION

We would like to report two interesting reactions observed during our studies in the area of chlorine oxyfluorides. The first reaction involved the low-temperature metathesis of  $\text{ClF}_6\text{AsF}_6$  with  $\text{CsClO}_4$  in anhydrous HF solution. In view of the known  $\text{NF}_4^+$  reaction [1]



it was interesting to study whether  $\text{ClF}_6^+$  is also capable of

oxidizing  $\text{ClO}_4^-$  to  $\text{FOClO}_3$ . The thermal stability of  $\text{ClF}_6\text{ClO}_4$  was found to be lower than that of  $\text{NF}_4\text{ClO}_4$  [1] and did not permit the isolation of solid  $\text{ClF}_6\text{ClO}_4$  even at temperatures as low as  $-45^\circ\text{C}$ . However, the corresponding decomposition products,  $\text{FOClO}_3$  and  $\text{ClF}_5$ , were observed in good yield.



Although this presents an alternative synthetic path to  $\text{FOClO}_3$ , the  $\text{NF}_4^+$  reaction is preferred from a synthetic point of view since the  $\text{NF}_4\text{SbF}_6$  starting material is more readily accessible [2].

The second reaction involved  $\text{CsClF}_4\text{O}$  and  $\text{FOSO}_2\text{F}$ . Fluorine fluorosulfate is known to be a useful reagent for the synthesis of hypofluorites [3], such as



For  $\text{CsClF}_4\text{O}$ , however, the major reaction was not the formation of either the unknown  $\text{ClF}_4\text{OF}$  or its expected decomposition products, but oxygen abstraction accompanied by  $\text{SO}_2\text{F}_2$  elimination according to the following reaction.




This unexpected reaction path might be rationalized in terms of an addition of  $\text{FOSO}_2\text{F}$  to the  $\text{Cl}=\text{O}$  bond in one of the favored resonance structures of  $\text{ClF}_4\text{O}^-$  [4], followed by an intramolecular



Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

nucleophilic substitution ( $S_N^1$ ) reaction accompanied by  $O_2$  and  $SO_2F_2$  elimination:



To our knowledge, this is the first example of a reaction in which  $\text{FOSO}_2\text{F}$  acts as a deoxygenating agent.

#### EXPERIMENTAL

**Apparatus.** Volatile materials were handled in a stainless steel-Teflon FEP vacuum line [5]. The line and other hardware used were well passivated with  $\text{ClF}_3$  and, if HF was to be used, with HF. Nonvolatile materials were handled in the dry nitrogen atmosphere of a glovebox. Metathetical reactions were carried out in HF solution using a previously described apparatus [6].

Infrared spectra were recorded on a Perkin Elmer Model 283 spectrophotometer. Spectra of solids were obtained using dry powders pressed between AgCl windows. Spectra of gases were obtained by using a Teflon cell of 5 cm path length equipped with AgCl windows. Raman spectra were recorded on a Cary Model 83 spectrophotometer using the  $4880\text{-}\overset{\text{O}}{\text{A}}$  exciting line of an Ar-ion laser.

**Materials.** Literature methods were used for the syntheses of  $\text{ClF}_6\text{AsF}_6$  [7],  $\text{CsClF}_4\text{O}$  [8] and  $\text{FOSO}_2\text{F}$  [9] and for the drying of

the HF solvent [10]. The  $\text{CsClO}_4$  (ROC/RIC) was used as received.

Reaction of  $\text{ClF}_6\text{AsF}_6$  with  $\text{CsClO}_4$ . In the drybox  $\text{ClF}_6\text{AsF}_6$  (0.318 mmol) and  $\text{CsClO}_4$  (0.304 mmol) were placed into the bottom U-tube of the metathesis apparatus [6]. On the vacuum line, dry HF (1.1 ml of liquid) was added at  $-78^\circ\text{C}$ . The resulting mixture was agitated at  $-45^\circ\text{C}$  for 1.5 hr and then filtered at  $-78^\circ\text{C}$  through a porous Teflon filter while the filtrate was collected at  $-45^\circ\text{C}$ . All material volatile at  $-45^\circ$  was pumped off for 2.5 hr and separated by fractional condensation through a series of traps kept at  $-126^\circ$ ,  $-142^\circ$  and  $-196^\circ\text{C}$ . The  $-126^\circ$  trap contained the HF solvent and a small amount of  $\text{FClO}_2$ , the  $-142^\circ$  trap contained a mixture of  $\text{FOClO}_3$  and  $\text{ClF}_5$  (0.445 mmol), and the  $-196^\circ$  trap contained  $\text{FClO}_3$  (0.128 mmol). Essentially no filtrate residue was left behind. The white solid filter cake (106 mg, weight calcd for 0.304 mmol of  $\text{CsAsF}_6$  98 mg) was identified by infrared and Raman spectroscopy as  $\text{CsAsF}_6$ . The  $\text{FClO}_3$  formed in the above reaction is attributed to decomposition of a small amount of  $\text{FOClO}_3$ . For a larger scale reaction, the percentage of  $\text{FClO}_3$  in the product is expected to decrease significantly.

Caution! Fluorine perchlorate is highly shock sensitive [11] and proper safety precautions must be taken when working with this material.

Reaction of  $\text{CsClF}_4\text{O}$  with  $\text{FOSO}_2\text{F}$ . In the dry box  $\text{CsClF}_4\text{O}$  (2.24 mmol) was placed into a 10 ml stainless steel cylinder. On the vacuum line  $\text{FOSO}_2\text{F}$  (4.97 mmol) was added to the cylinder at  $-196^\circ\text{C}$ . The cylinder was kept at  $0^\circ\text{C}$  for 3 days, then cooled

to  $-196^{\circ}\text{C}$ . Oxygen (2.23 mmol) was pumped off at  $-196^{\circ}\text{C}$ , and all material volatile at ambient temperature was separated by fractional condensation through traps kept at  $-112$ ,  $-142$ , and  $-196^{\circ}\text{C}$ . The  $-112^{\circ}$  trap contained small amounts of  $\text{ClF}_3\text{O}$ ,  $\text{FClO}_2$  and  $\text{ClF}_3$ . The  $-142^{\circ}$  trap contained  $\text{FOSO}_2\text{F}$  (2.6 mmol) and  $\text{SO}_2\text{F}_2$  (1.7 mmol), and the  $-196^{\circ}$  trap showed  $\text{SO}_2\text{F}_2$  (0.52 mmol). The white solid residue showed a weight loss of 39 mg (calcd weight loss for 1.12 mmol of  $\text{O}_2$  36 mg) and was identified by infrared and Raman spectroscopy as  $\text{CsClF}_4$  [12] containing a small amount of  $\text{CsSO}_3\text{F}$ .

#### ACKNOWLEDGEMENTS

The authors are grateful to Drs. C. J. Schack and L. R. Grant and Mr. R. D. Wilson for their help and to the Army Research Office and the Office of Naval Research for financial support.

#### REFERENCES

- 1 K. O. CHRISTE, W. W. WILSON, and R. D. WILSON, *Inorg. Chem.*, 19, 1494 (1980).
- 2 K. O. CHRISTE, C. J. SCHACK, and R. D. WILSON, *J. Fluorine Chem.*, 8, 541 (1976).
- 3 C. J. SCHACK, W. W. WILSON, and K. O. CHRISTE, *Inorg. Chem.*, 22, 18 (1983).
- 4 K. O. CHRISTE and E. C. CURTIS, *Inorg. Chem.*, 11, 2209 (1972).
- 5 K. O. CHRISTE, R. D. WILSON, and C. J. SCHACK, *Inorg. Synth.*, in press.
- 6 K. O. CHRISTE, W. W. WILSON, C. J. SCHACK, and R. D. WILSON, *Inorg. Synth.*, in press.
- 7 K. O. CHRISTE, W. W. WILSON, and E. C. CURTIS, *Inorg. Chem.*, 22, 3056 (1983).

- 8 K. O. CHRISTE, C. J. SCHACK, and D. PILIPOVICH, Inorg. Chem., 11, 2205 (1972).
- 9 F. B. DUDLEY, G. H. CADY, and D. F. EGGERS, J. Am. Chem. Soc., 78, 290 (1956).
- 10 K. O. CHRISTE, W. W. WILSON, and C. J. SCHACK, J. Fluorine Chem., 11, 71 (1978).
- 11 K. O. CHRISTE and C. J. SCHACK, Adv. Inorg. Chem. Radiochem., 18, 319 (1976).
- 12 K. O. CHRISTE and D. NAUMANN, Inorg. Chem., 12, 59 (1973).



TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Attn: Code 413 800 N. Quincy Street Arlington, Virginia 22217	2	Naval Ocean Systems Center Attn: Technical Library San Diego, California 92152	1
ONR Pasadena Detachment Attn: Dr. R. J. Marcus 1030 East Green Street Pasadena, California 91106	1	Naval Weapons Center Attn: Dr. A. B. Amster Chemistry Division China Lake, California 93555	1
Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Washington, D.C. 20360	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401	1	Dean Will Jiles Naval Postgraduate School Monterey, California 93940	1
Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375	1	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12	Mr. Vincent Schaper DTNSRDC Code 2830 Annapolis, Maryland 21402	1
DTNSRDC Attn: Dr. G. Bosmajian Applied Chemistry Division Annapolis, Maryland 21401	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1	Mr. A. M. Anzalone Administrative Librarian PLASTEC/ARRADCOM Bldg 3401 Dover, New Jersey 07801	1

TECHNICAL REPORT DISTRIBUTION LIST, 053

Dr. M. F. Hawthorne  
Department of Chemistry  
University of California  
Los Angeles, California 90024

Dr. D. Venezky  
Chemistry Division  
Naval Research Laboratory  
Washington, D.C. 20375

Professor O. T. Beachley  
Department of Chemistry  
State University of New York  
Buffalo, New York 14214

Dr. A. Cowley  
Department of Chemistry  
University of Texas  
Austin, Texas 78712

Dr. W. Hatfield  
Department of Chemistry  
University of North Carolina  
Chapel Hill, North Carolina 27514

Professor Richard Eisenberg  
Department of Chemistry  
University of Rochester  
Rochester, New York 14627

Professor K. Niedenzu  
Department of Chemistry  
University of Kentucky  
Lexington, Kentucky 40506

Dr. T. Marks  
Department of Chemistry  
Northwestern University  
Evanston, Illinois 60201

Dr. J. Zuckerman  
Department of Chemistry  
University of Oklahoma  
Norman, Oklahoma 73019

Professor K. M. Nicholas  
Department of Chemistry  
Boston College  
Chestnut Hill, Massachusetts 02167

Professor R. Neilson  
Department of Chemistry  
Texas Christian University  
Fort Worth, Texas 76129

Professor M. Newcomb  
Department of Chemistry  
Texas A&M University  
College Station, Texas 77843

Professor R. Wells  
Department of Chemistry  
Duke University  
Durham, North Carolina 27706